PATENT ABSTRACTS OF JAPAN

(11)Publication number:

59-169922

(43) Date of publication of application: 26.09.1984

(51)Int.CI.

C01B 33/18

(21)Application number: 58-040593 (71)Applicant: TOKUYAMA SODA CO

LTD

(22) Date of filing: 14.03.1983 (72) Inventor: MITANI YOSHIO

TEJIMA TAKANORI

(54) PRODUCTION OF ULTRAFINE SILICA POWDER

(57) Abstract:

PURPOSE: To enable the arbitrary control of the specific surface area of fine silica powder, and to obtain fine silica powder having excellent dispersibility and transparency, by decomposing a volatile silicon compound in a flame at a high reaction temperature. CONSTITUTION: A volatile silicon compound such as silicon tetrachloride, etc. is supplied to a flame together with hydrogen gas and air, etc. and burnt and decomposed at a reaction temperature higher than the melting point of silica to obtain fine silica powder. The specific surface area and the dispersibility of the silica powder can be conrolled mainly by the reaction temperature, and the fine control of the above properties are carried out by adjusting the concentration of the silicon compound in the feed gas, the ratio of oxygen, the ratio of hydrogen, etc.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]